



Cayenne





Cayenne

This mélange roughly woven upholstery textile is in the Textafoam Timeless Collection. This collection features all our creative essentials, fabrics that offer the best value for money and suit every style all year round.

Cayenne has been developed to offer you the ultimate current trend, a luxurious and multicoloured look in combination with a voluminous handfeel.

This yarn-dyed textile is woven on a dobby loom, adding depth and character to any interior. Suitable for all types of upholstery, kindly note that because of the rough construction, we recommend a minimum seam allowance of 1 cm and also note that extra overlocking of the seam provides much more stability, especially with tight upholstered furniture.

This high-quality upholstery textile is machine-washable at 30 degrees Celsius*, ensuring both style and convenience. Cayenne is a hot type of pepper and it will definitely spice up your furniture.

- Be careful with sharp or rough objects such as watches, buckles, or velcro, as they may damage the fabric.
- Please consult the washing instructions of your furniture or covers before cleaning.
- Some hairiness may occur over time, but this is not a quality problem and can be easily removed with a pilling machine
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

***Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 100%PES
/ backside n/a
/ flatweave

Suitable for


sofa's, beds, chairs with fitted and loose fitting upholstery



anthracite 67



beige 05



brown 15



clay 84




cognac 28



ecru 102



green 55



grey 65



ivory 101



lightgrey 60



mustard 06



shell 196

Please note: colours may vary according to your screen settings.



shitake 124



stone 181



tobacco 111 (new colour)

Please note: colours may vary according to your screen settings.

Cayenne - Article passport

A luxurious and multicoloured article in combination with a voluminous handfeel.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

| | |
|----------------------|---|
| Productgroup | flatweave |
| Applications | sofa's, beds, chairs with fitted and loose fitting upholstery |
| Composition faceside | 100%PES |
| Composition backside | n/a |
| Coating | transparent |
| Statistic code | 54075300 |
| Dyeing method | yarn dyed |
| Available colours | 15 |
| Packaging | transparent plastic |

Durability specifications

| Test | Test specification | Executed by laboratory: | Unit | Testresult | | Norm RAL GZ 430/4:2019-01 | | Norm DIN EN 14 465:2006-09 |
|-------------------------------------|--|-------------------------|--------|------------|-----|---------------------------|-----------------------|----------------------------|
| | | | | Dry | Wet | DGM | DGM+ | |
| Abrasion resistance - yarn breakage | DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03 | CTL | cycles | >100.000 | | min. 12.000 | min. 16.000 | A |
| Pilling | DIN EN ISO 12945-2:2000-11. 2000 cycles | CTL | grade | 4-5 | | min. 3-4 | min. 4 | A |
| Colour fastness to light | DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5 | | | | | | | |
| | light colours | CTL | grade | 5 | | min. 4 | min.5 | B |
| | middle colours | CTL | grade | 5 | | min. 4 | min.5 | B |
| Colour fastness to rubbing | DIN EN ISO 105-X12:2016-11 | | | | | | | |
| | light colours | CTL | grade | 5 | 5 | dry: 4, wet: 3 | dry: > 4, wet: 3-4 | A/A |
| | middle colours | CTL | grade | 5 | 5 | dry: 4, wet: 3 | dry: > 4, wet: 3-4 | A/A |
| Colour fastness to rubbing | DIN EN ISO 105-X12:2016-11 | | | | | | | |
| | dark colours | CTL | grade | 5 | 5 | dry: 4, wet: 3 | dry: > 4, wet: 3-4 | A/A |
| | light colours | CTL | grade | 5 | 5 | dry: 4, wet: 3 | dry: > 4, wet: 3-4 | A/A |
| Ignitability (cigarette test) | BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette | CTL | | passed | | | | |



Processing specifications

| | |
|---|-------|
| Minimum workable width in centimeters | ± 142 |
| Roll length in meters | ± 35 |
| Material weight in grams per linear meter | ± 680 |

| Test | Test specification | Executed by laboratory: | Unit | Testresult | | Norm RAL GZ 430/4:2019-01 | | Norm DIN EN 14 465:2006-09 |
|-----------------------------|---|-------------------------|--------|------------|-------|---------------------------|----------|----------------------------|
| | | | | Warp | Weft | DGM | DGM+ | |
| Tensile strength | DIN EN ISO 13934-1:2013-08 | CTL | Newton | 1.008 | 445 | min. 350 | min. 400 | A/B |
| Tear growth resistance | DIN EN ISO 13937-3:2000-06 | CTL | Newton | 173,8 | 119,4 | min. 25 | min. 30 | A/A |
| Resistance to seam slippage | DIN EN ISO 13936-2:2004-07. Load 180 N | CTL | mm | 1,0 | 2,0 | max. 5 | max. 4 | A/A |
| Delamination | DIN 53530:1981-02 | CTL | Newton | n/a | n/a | n/a | n/a | n/a |
| Chemical substances | REACH | Centexbel | | passed | | | | |
| | Oeko-Tex, product class II | Centexbel | | certified | | | | |

Cleaning specifications

| Test | Test specification | Executed by laboratory: | Unit | Testresult | | Norm RAL GZ 430/4:2019-01 | | Norm DIN EN 14 465:2006-09 |
|--|---|-------------------------|------|------------|------|---------------------------|------|----------------------------|
| | | | | Warp | Weft | DGM | DGM+ | |
| Dimensional change for washing 30 degrees celcius / air drying | DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08 | CTL | % | -1,6 | -0,8 | n/a | n/a | A/A |

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

