



Unique





Unique

Meet Unique, a heavy woven velvet with a very soft and full handfeel in our Comfort Collection. A collection that stands for softness, volume and elegance. Perfect for all kinds of upholstery as well as drapery.

Unique is a quality that combines cotton and polyester, making it possible to create beautiful soft and elegant contemporary colours. Piece dyed with a matt, naturel and light blended vintage aspect.

Easy to clean and maintain, available from stock in various trendy, soft and elegant colours it is hard not to like this article.

W-woven, the cotton is on the faceside and the polyester is on the backside for extra strength and body.

Unique is packed with care in suspended boxes for full rolls and bubblewrap for exact meters/ coupons to avoid lasting pressure marks during storage and transport. When there is a pressure mark, please use a velvet brush and you are allowed to use force, as you will never damage the fabric.

Machine-washable at 30 degrees Celsius.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

Textafoam originals Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.

Composition

/ faceside 67%PES 33%CO
/ backside n/a
/ woven velvet

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



apple 157



azure 144



beige 05



blossom 166



blush 92



cacao 83



cappuccino 11



caramel 16




carmine 36



desert 109



ecru 102



eucalyptus 193

Please note: colours may vary according to your screen settings.



grey 65



herb 214 (new colour)



hunter 156



iceblue 43



indigo 90



liver 10



magnolia 160



mauve 140



mint 50



mustard 06



natural 01



petrol 56

Please note: colours may vary according to your screen settings.



shell 196



shitake 124



stone 181



sun 133



turquoise 44



zinc 167

Please note: colours may vary according to your screen settings.

Unique - Article passport

A heavy woven velvet with a very soft and full handfeel with a matt, naturel and light blended vintage aspect.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	woven velvet	
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery	
Composition faceside	67%PES 33%CO	
Composition backside	n/a	
Bonding / Coating	n/a	
Statistic code	58013700	
Dyeing method	piece dyed	
Available colours	30	
Packaging	boxes	

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01	Norm DIN EN 14 465:2006-09
				Dry	Wet		
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	70.000		min. 20.000	min. 40.000
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4-5		min. 3-4	min. 4
Colour fastness to light	DIN EN ISO 105-BOZ:2014-11. Process 3, exposure level 5						
	light colours	CTL	grade	5		min. 4	min.5
	middle colours	CTL	grade	5		min. 4	min.5
	dark colours	CTL	grade	5		min. 4	min.5
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11						
	light colours	CTL	grade	4-5	4	dry: 4, wet: 3	A/A
	middle colours	CTL	grade	4-5	4	dry: 4, wet: 3	A/A
	dark colours	CTL	grade	4-5	4	dry: 4, wet: 3	A/A
Ignitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed			

Processing specifications

Minimum workable width in centimeters	± 138						
Roll length in meters	± 40						
Material weight in grams per linear meter	± 600						
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01	Norm DIN EN 14 465:2006-09
				Warp	Weft		
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.317	867	min. 350	min. 400
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	65,0	34,0	min. 25	min. 30
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	3,4	2,7	max. 5	max. 4
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed			
	Oeko-Tex, product class II	Centexbel			certified		

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01	Norm DIN EN 14 465:2006-09
				Warp	Weft		
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	0,0	0,0	n/a	n/a
				- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.			
    							



Textaafoam
Expect what's next in furniture fabrics

Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl