



# Page





# Page

All-time favorite Page is fine structured beauty within our Timeless collection. The timeless collection represents all our creative essentials. Fabrics that offer the very best value for money and suit every style all year round.

Page is an elegant structured 100% polyester woven upholstery textile with a tone-in-tone look, giving that lively expression that is widely appreciated. The soft non-woven backing complements the overall fabric. Each colour has been carefully developed to create an all-time suitable pallet. This full range of colours will enable you to fulfill all needs.

Page is a joy to see and to touch. It's easy to apply on any bed, chair or sofa and can be combined in many ways with other fabrics. The feature that makes Page even better, is that it has been finished with a damp- and dirt prevented treatment and that it is machine-washable at 30 degrees Celsius\*.

Is it time for you to turn the Page?

- Dirt and damp prevention treatment applied.
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.
- Please note that during washing the damp- and dirt prevented treatment will disappear faster.

**Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.

## Composition

/ faceside 100%PES  
/ backside 100%PES  
/ flatweave

## Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



anthracite 67



army 14



ashgrey 40



beige 05



brown 15



cappuccino 11



chocolate 17



cognac 28



copper 126



darkblue 48



eucalyptus 193



grey 65

Please note: colours may vary according to your screen settings.



hunter 156



iceblue 43



lavender 71



lilac 70



mint 50



mustard 06



niagara 158



onyx 169



shitake 124



sky 142



taupe 12



zinc 167

Please note: colours may vary according to your screen settings.

## Page - Article passport

An elegant finely structured fabric, suitable for any upholstery occasion.

Available from stock in a wide range of contemporary and commercial colours.

### Product characteristics

Productgroup	flatweave	
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery	
Composition faceside	100%PES	
Composition backside	100%PES	
Bonding	non-woven	
Statistic code	54075200	
Dyeing method	piece dyed	
Available colours	24	
Packaging	transparent plastic	

### Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01	Norm DIN EN 14 465:2006-09
				Dry	Wet		
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	40.000		min. 12.000	min. 16.000
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4		min. 3-4	min. 4
Colour fastness to light	DIN EN ISO 105-BOZ:2014-11. Process 3, exposure level 5						
	light colours	CTL	grade	4		min. 4	min.5
	middle colours	CTL	grade	4		min. 4	min.5
	dark colours	CTL	grade	4		min. 4	min.5
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11						
	light colours	CTL	grade	5	5	dry: 4, wet: 3	A/A
	middle colours	CTL	grade	5	5	dry: 4, wet: 3	A/A
	dark colours	CTL	grade	5	4-5	dry: 4, wet: 3	A/A
Ignitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed			

### Processing specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01	Norm DIN EN 14 465:2006-09
				Warp	Weft		
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.485	800	min. 350	min. 400
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	94,3	65,9	min. 25	min. 30
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	2,0	3,0	max. 5	max. 4
Delamination	DIN 53530:1981-02	CTL	Newton	19,3	23,7	n/a	n/a
Chemical substances	REACH	Centexbel		passed			
	Oeko-Tex, product class II	Centexbel		certified			

### Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01	Norm DIN EN 14 465:2006-09
				Warp	Weft		
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	1,1	0,9	n/a	n/a
- Dirt and damp prevention treatment applied. - We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing. - Please note that during washing the damp- and dirt prevented treatment will disappear faster.							

