



Solution



Textaafoam
Expect what's next in furniture fabrics

| Performance



Solution

Solution is a nice luxurious quality fabric, woven on a jacquard loom and part of the Textaafoam Performance Collection. This collection only consists of fabrics that meet the highest standards in durability and maintenance, making them long lasting, easy to clean and suitable for almost every type of upholstery.

Due to the properties of the yarns used for Solution, stains hardly have any chance and can easily be taken away with nothing more than a damp cloth. No wonder this article meets all requirements of our specialty Easy Clean Collection; www.picobello-fabrics.com.

Solution combines recycled cotton with virgin polyester and polyacrylic yarns. All contemporary and multicoloured colours to meet every style.

This durable article is fit for all types of furniture and can be washed at 30 degrees without losing its performance characteristics.

During use a certain hairiness may appear, kindly note that this can be taken away with a pilling razor. This has no further influence on the durability of Solution.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

Textaafoam originals Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.

Composition

/ faceside 46%PAC 44%PES 10%RCO
/ backside n/a
/ flatweave

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



anthracite 67




ashgrey 40



beige 05



blossom 166



brown 15



camel 09



celery 80



chocolate 17



darkbrown 18



desert 126



iceblue 43



lightbrown 115

Please note: colours may vary according to your screen settings.



lightgrey 60



moccac 13



natural 01



onyx 169



sand 03



steel 149



taupe 12

Please note: colours may vary according to your screen settings.

Solution - Article passport

Solution is a nice luxurious fabric woven on a jacquard loom.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	flatweave	
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery	
Composition faceside	46%PAC 44%PES 10%RCO	
Composition backside	n/a	
Bonding / Coating	n/a	
Statistic code	55169300	
Dyeing method	yarn dyed	
Available colours	19	
Packaging	transparent plastic	

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01	Norm DIN EN 14 465:2006-09
				Dry	Wet		
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	40.000		min. 16.000	min. 25.000
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4-5		min. 3-4	min. 4
Colour fastness to light	DIN EN ISO 105-BOZ:2014-11. Process 3, exposure level 5						
	light colours	CTL	grade	5		min. 4	min.5
	middle colours	CTL	grade	5		min. 4	min.5
	dark colours	CTL	grade	5		min. 4	min.5
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11						
	light colours	CTL	grade	5	5	dry: 4, wet: 3	A/A
	middle colours	CTL	grade	5	5	dry: 4, wet: 3	A/A
	dark colours	CTL	grade	5	5	dry: 4, wet: 3	A/A
Ignitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed			

Processing specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01	Norm DIN EN 14 465:2006-09
				Warp	Weft		
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	2.400	1.700	min. 350	min. 400
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	230,0	470,0	min. 25	min. 30
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	4,0	4,0	max. 5	max. 4
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed			
	Oeko-Tex, product class II	Centexbel		certified			

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01	Norm DIN EN 14 465:2006-09
				Warp	Weft		
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	1,4	1,9	n/a	n/a
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.							
    							



Textaaf foam
Expect what's next in furniture fabrics

Textaaf foam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaaf foam.nl
www.textaaf foam.nl