



Born





Born

This flatwoven polyester upholstery fabric Born is part of the Textafoam Timeless Collection. A collection that features all our creative essentials; reliable fabrics offering great value for money and timeless style.

Born has been developed as a simple and versatile upholstery textile, with a light mélange effect and soft high-low surface. The fabric is laminated with a non-woven backing for added structure and a balanced feel.

Made from 100% virgin polyester and woven on a dobby loom. Born is durable and user-friendly and available in a fresh, well-balanced colour line that fits into today's interior styles.

Suitable for a wide variety of furniture styles; fitted, buttoned, and loose-fitting. When Born has been upholstered, please note the following, when a stain appears, first remove it with a spoon, or another blunt object. After that, take a cotton towel, make it wet with lukewarm water, first wring it out and after that put it directly over the stain. Let the (cotton) towel lay so it can absorb the stain (24-48 hours). Advice: never rub over the fabric or stain, because then you will rub out the dye stuff and white / light spots will appear, especially on the darker colours.

Due to the pile/ chenille structure, pressure marks and sitting mirror may appear over time, this is a natural characteristic of the fabric and can be minimized by gently brushing the surface with a (clean) brush.

With time and use, a light woolly or hairy surface may appear. This can be removed using a pilling machine and does not affect the quality or durability of the fabric.

Born is machine-washable at 30 degrees Celsius*.

- Always be careful with sharp or rough objects such as watches, buckles, or velcro, as they may damage the fabric.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

***Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 100%PES
/ backside 100%PES
/ chenille flatweave

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



anthracite 67



army 14



brass 170



burgundy 34



clay 84



curry 216



grey 65



hazel 96



herb 214



lightgrey 60



linen 110



liver 10

Please note: colours may vary according to your screen settings.



natural 01



sage 203



shell 196



tobacco 111



wenge 192

Please note: colours may vary according to your screen settings.

Born - Article passport

A simple and versatile upholstery textile, with a light mélange effect.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	chenille flatweave
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery
Composition faceside	100%PES
Composition backside	100%PES
Bonding	non-woven
Statistic code	54075200
Dyeing method	piece dyed
Available colours	17
Packaging	bubble wrap

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	>100.000		min. 12.000	min. 16.000	B
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4-5		min. 3-4	min. 4	A
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	5		min. 4	min.5	B
	middle colours	CTL	grade	5		min. 4	min.5	B
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
dark colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A	
	ignitability (cigarette test)	BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL	passed				



Processing specifications

Minimum workable width in centimeters	± 140
Roll length in meters	± 35
Material weight in grams per linear meter	± 675

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.171	698	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	119,5	86,1	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	1,5	2,5	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	23,5	18,7	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed				
	Oeko-Tex, product class II	Centexbel		certified				

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	-3,0	-2,0	n/a	n/a	A/A

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.



Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl