



Horta





Horta

This upholstery textile Horta is in the Textaafoam Comfort collection. This collection consists of soft and elegant upholstery fabrics.

Horta has been developed to offer you the ultimate combination of current trends, a soft feel, and a highly luxurious look. This chenille and voluminous upholstery textile has a rough structure, woven on a dobby loom, yarn dyed to achieve a rich colour expression.

The chenille yarns ensure a wonderful soft touch and gives body/ volume to this textile. During use a sitting mirror/ seat depression may appear, this can be minimized by brushing Horta on a regular base, against the pile, back to its original position. Important is to mention that this can never be taken away completely, as it is a property of such type of yarns.

This high-quality textile is made of 100% virgin polyester and has been finished with a strong coating that provides extra stability, ensuring durability and a long-lasting. Tests have shown that this fabric delivers everything you would expect from high-quality upholstery, and another plus is that it is machine-washable at 30 degrees Celsius*.

- Always be careful with sharp or rough objects such as watches, buckles, or Velcro, as they may damage the fabric.
- Please consult the washing instructions of your furniture or covers before cleaning.
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

***Textaafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 100%PES
/ backside n/a
/ chenille jacquard

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



beige 05



brown 15



champagne 186



grey 65




hazel 96




hunter 156



indigo 90



ivory 101



liver 10



mustard 06



natural 01



ocre 23

Please note: colours may vary according to your screen settings.



onyx 169



pearl 106



plumb 168

Please note: colours may vary according to your screen settings.

Horta - Article passport

A voluminous chenille article with a rough structure.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	chenille jacquard
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery
Composition faceside	100%PES
Composition backside	n/a
Coating	needle punch
Statistic code	54075300
Dyeing method	yarn dyed
Available colours	15
Packaging	bubble wrap

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	80.000		min. 12.000	min. 16.000	B
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4		min. 3-4	min. 4	A
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	5		min. 4	min.5	B
	middle colours	CTL	grade	5		min. 4	min.5	B
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	4-5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
dark colours	CTL	grade	4-5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A	
	ignitability (cigarette test)	BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL	passed				

Processing specifications

Minimum workable width in centimeters	± 138							
Roll length in meters	± 50							
Material weight in grams per linear meter	± 420							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	561	415	min. 350	min. 400	B/B
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	49,9	46,1	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	3,3	3,0	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel	passed					
	Oeko-Tex, product class II	Centexbel	certified					

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	-0,2	-1,0	n/a	n/a	A/A

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

