



Lamb

Meet Lamb — the latest eyecatcher in our Avant Garde Collection. Known for its creative, modern, and on-trend textures, this collection is all about pushing boundaries. Following the success of our textiles Sheep and Doodle, this new quality Lamb takes center stage as another standout original from Textafoam.

A knitted, high-pile fabric which is irresistibly soft with a bold, unique texture that adds instant character. Piece-dyed and laminated with a woven structure for more stability, Lamb is as durable as it is stylish. It's voluminous, plush feel makes it perfect for any upholstery project.

We've selected a natural colour palette to enhance its organic look, and just like its namesake, this curly fabric is remarkably resilient.

Kindly note that during upholstering, loose fibres will come off. Once upholstered, kindly use air pressure to clean the furniture completely. Once the furniture is upholstered with the quality Lamb, it is strong, and it will not lose any further fibres. Cleaning and maintenance of the textile Lamb is best only with a damp cloth and not too much water. Kindly let it dry completely before you use your furniture again.

- Seat depression is to be expected, this is one of the characteristics of this high-pile fabric.
- Be careful with sharp objects, velcro or other material that could damage the fabric.
- Don't use strong brushes or other care products, it will remodel the curly aspect.
- Please note that washing might have a slight influence on the appearance of the article.
- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

***Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 100%PES
/ backside 100%PES
/ knitwear

Suitable for


sofa's, beds, chairs with fitted and loose fitting upholstery



army 14



beige 05




desert 109



darkgrey 68



hazel 96



hunter 156




ivory 101




latte 211



natural 01



oyster 175



steel 149



wood 108

Please note: colours may vary according to your screen settings.

Lamb - Article passport

A knitted, high-pile fabric which is irresistibly soft with a bold, unique texture.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	knitwear	
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery	
Composition faceside	100%PES	
Composition backside	100%PES	
Bonding	woven	
Statistic code	6001100090	
Dyeing method	piece dyed	
Available colours	12	
Packaging	bubble wrap	

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	>100.000		min. 20.000	min. 40.000	A
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	n/a		min. 3-4	min. 4	
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	5		min. 4	min.5	A
	middle colours	CTL	grade	5		min. 4	min.5	A
	dark colours	CTL	grade	5		min. 4	min.5	A
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	4-5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	4-5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	dark colours	CTL	grade	4-5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
gnitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed				

Processing specifications

Minimum workable width in centimeters	± 143							
Roll length in meters	± 20							
Material weight in grams per linear meter	± 885							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	534	507	min. 350	min. 400	B/B
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	90,4	67,9	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	1,0	1,0	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	16,3	19,4	n/a	n/a	n/a
Chemical substances	REACH	Centexbel	passed					
	Oeko-Tex, product class II	Centexbel	certified					

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	-0,4	-0,4	n/a	n/a	A/A
 - We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.								



Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl