



Royal





Royal

This luxury woven velvet is in the Textafoam Comfort Collection. Softness, volume and elegance are characteristic of this premium collection.

Royal is a 'W-woven' velvet, produced by a professional family owned weaving and dyeing factory. This high-level weaver is specialized in luxurious high pile woven velvets.

Due to its composition and pile, the colours are deep, pure and have a luxurious appearance. These deep and trendy colours give this soft and voluminous upholstery fabric an extra contemporary look. Durable, strong and suitable for both fitted and loose fitting upholstery.

Also for drapery/ curtains it is the perfect luxurious textile.

Machine-washable at 30 degrees Celsius* and available in an enormous colourline from stock. Full rolls are stored and transported in suspended boxes and exact meters/ coupons in bubblewrap. This has been done to prevent pressure marks.

When a pressure mark appears, kindly brush against the pile with a velvet brush (force can be used) and the pressure marks will disappear. Shading and sitting mirror are product related and can not be accepted as a defect.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

***Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 100%PES
/ backside n/a
/ woven velvet

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



almond 82



anthracite 67



army 14



beige 05



blackberry 177



blue 45



blush 92



bordeaux 37



brown 15



cacao 83



cashew 174



clay 84

Please note: colours may vary according to your screen settings.



cobalt 46



coffee 81



copper 126



denim 153



fire 139



forest 162



gold 132



hunter 156



iceblue 43



ivory 101



lagoon 208



linen 110

Please note: colours may vary according to your screen settings.



magnolia 160



mint 50



navy 49



niagara 158



oak 97



onyx 169



orange 25



papaya 204



peach 120



pearl 106



petrol 56



pine 199

Please note: colours may vary according to your screen settings.



pink 73



pistachio 52



purple 78



raspberry 163



saffron 183



sand 03



scarlet 141



silver 125



sky 142



steel 149



sun 133



turquoise 44

Please note: colours may vary according to your screen settings.



winered 39



wood 108

Please note: colours may vary according to your screen settings.

Royal - Article passport

A soft and voluminous article with an extra contemporary look.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	woven velvet	
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery	
Composition faceside	100%PES	
Composition backside	n/a	
Bonding / Coating	n/a	
Statistic code	58013700	
Dyeing method	piece dyed	
Available colours	50	
Packaging	boxes	

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	>40.000		min. 20.000	min. 40.000	A
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4-5		min. 3-4	min. 4	A
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	4-5		min. 4	min.5	B-C
	middle colours	CTL	grade	4-5		min. 4	min.5	B-C
	dark colours	CTL	grade	4-5		min. 4	min.5	B-C
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	dark colours	CTL	grade	3-4	3	dry: 4, wet: 3	dry: > 4, wet: 3-4	C/B
gnitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed				

Processing specifications

Minimum workable width in centimeters	± 138							
Roll length in meters	± 40							
Material weight in grams per linear meter	± 470							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.400	1.400	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	62,9	62,8	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	6,0	6,0	max. 5	max. 4	B/B
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel		passed				

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	0,0	0,0	n/a	n/a	A/A
 - We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.								



Textaafoam b.v.
La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934
F +31(0)13 534 7586
E info@textaafoam.nl
www.textaafoam.nl