




Stella





Stella

This soft and plush upholstery fabric Stella is part of the Textafoam Comfort Collection, a selection of textiles designed for softness, durability, and a timeless aesthetic.

Developed to combine elegance with everyday usability, Stella is a luxurious pile fabric with a soft touch and a subtle sheen. Its deep, rich colours enhance the fabric's appearance, while the voluminous texture adds body to any piece of furniture.

Stella is piece-dyed and finished with a light SBR coating, providing extra stability and durability while preserving its softness. Due to the pile/ chenille structure, pressure marks and sitting mirror may appear over time, this is a natural characteristic of the fabric and can be minimized by gently brushing the surface with a (clean) brush.

Our quality team recommends a minimum seam allowance of minimum 1 cm, and another advice is to overlock all seams for more stability, especially with tight upholstered furniture. For loose fitted upholstery models, please know that Stella is machine-washable at 30 degrees Celsius*.

When Stella has been upholstered on fitted or buttoned furniture, please note the following, when a stain appears, first remove it with a spoon, or another blunt object. After that, take a cotton towel, make it wet with lukewarm water, first wring it out and after that put it directly over the stain. Let the (cotton) towel lay so it can absorb the stain (24-48 hours). Advice: never rub over the fabric or stain, because then you will rub out the dye stuff and white / light spots will appear, especially on the darker colours.

Its elegant look and soft texture make it a versatile option for various interior styles, the rich colour palette makes it the perfect choice for upholstery.

- Always be careful with sharp or rough objects such as watches, buckles, or Velcro, as they may damage the fabric.

- Please consult the washing instructions of your furniture or covers before cleaning.

- We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.

***Textafoam originals** Established in 1970, this Dutch family business brings together craftsmen in textiles and furniture design to build an unrivalled portfolio in upholstery fabrics that meets buyer's needs every time. Featuring a wide colour range, ultimate value for money and excellent reliability in the supply chain.*

Composition

/ faceside 100%PES
/ backside n/a
/ chenille jacquard

Suitable for

sofa's, beds, chairs with fitted and loose fitting upholstery



anthracite 67



brandy 127



brown 15



burgundy 34



camel 09



caramel 16



chocolate 17 (new colour)



cream 02 (new colour)



darkblue 48



desert 109 (new colour)



ecru 102



hazel 96

Please note: colours may vary according to your screen settings.



lake 221 (new colour)



lightgrey 60



linen 110



liver 10



mint 50




natural 01



olive 53 (new colour)



pale 200



pearl 106



sage 203



taupe 12 (new colour)



thyme 206

Please note: colours may vary according to your screen settings.



zinc 167

Please note: colours may vary according to your screen settings.

Stella - Article passport

Stella is a luxurious pile fabric with a soft touch and a subtle sheen.

Available from stock in a wide range of contemporary and commercial colours.

Product characteristics

Productgroup	chenille jacquard	
Applications	sofa's, beds, chairs with fitted and loose fitting upholstery	
Composition faceside	100%PES	
Composition backside	n/a	
Coating	sbr	
Statistic code	58013600	
Dyeing method	piece dyed	
Available colours	25	
Packaging	bubble wrap	

Durability specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Dry	Wet	DGM	DGM+	
Abrasion resistance - yarn breakage	DIN EN ISO 12947-1:2007-04, DIN EN ISO 12947-2:2017-03	CTL	cycles	>100.000		min. 12.000	min. 16.000	A
Pilling	DIN EN ISO 12945-2:2000-11. 2000 cycles	CTL	grade	4-5		min. 3-4	min. 4	A
Colour fastness to light	DIN EN ISO 105-BO2:2014-11. Process 3, exposure level 5							
	light colours	CTL	grade	5		min. 4	min.5	B
	middle colours	CTL	grade	5		min. 4	min.5	B
	dark colours	CTL	grade	5		min. 4	min.5	B
Colour fastness to rubbing	DIN EN ISO 105-X12:2016-11							
	light colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	middle colours	CTL	grade	5	5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	dark colours	CTL	grade	4-5	4-5	dry: 4, wet: 3	dry: > 4, wet: 3-4	A/A
	gnitability (cigarette test)	 BS 5852 part 1 (1979) from The Furniture and Furnishing (Fire) (Safety) regulations: 1988 No. 1324. Schedule 4 part 1 Ignition source 0: cigarette	CTL		passed			

Processing specifications

Minimum workable width in centimeters	± 138							
Roll length in meters	± 25							
Material weight in grams per linear meter	± 828							
Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Tensile strength	DIN EN ISO 13934-1:2013-08	CTL	Newton	1.268	1.123	min. 350	min. 400	A/A
Tear growth resistance	DIN EN ISO 13937-3:2000-06	CTL	Newton	75,9	91,5	min. 25	min. 30	A/A
Resistance to seam slippage	DIN EN ISO 13936-2:2004-07. Load 180 N	CTL	mm	2,3	1,3	max. 5	max. 4	A/A
Delamination	DIN 53530:1981-02	CTL	Newton	n/a	n/a	n/a	n/a	n/a
Chemical substances	REACH	Centexbel	passed					
	Oeko-Tex, product class II	Centexbel	certified					

Cleaning specifications

Test	Test specification	Executed by laboratory:	Unit	Testresult		Norm RAL GZ 430/4:2019-01		Norm DIN EN 14 465:2006-09
				Warp	Weft	DGM	DGM+	
Dimensional change for washing 30 degrees celcius / air drying	DIN EN ISO 5077:2008-04, DIN EN ISO 6330:2013-02, DIN EN ISO 3759:2011-08	CTL	%	-1,0	0,0	n/a	n/a	A/A
 - We recommend to wash the cover inside out and immediately place the cover back to the piece of furniture, slightly damp, after washing.								



Textaafoam b.v.

La Défense 11 | 5026 SC Tilburg
P.O. Box 12 | 5050 AA Goirle
The Netherlands

T +31(0)13 534 5934

F +31(0)13 534 7586

E info@textaafoam.nl

www.textaafoam.nl